



**US COMPOSTING  
COUNCIL**

*Seal of Testing  
Assurance*

**COUNTRY GARDEN FARMS**

Attn: Jacob Odegard  
1201 S Grover Lane  
Palmer, AK 99645

Phone: 907-903-6014

Product Name: **CGF2023-01**

Sample Date: 1-Sep-22

Laboratory ID: C22-1108

## COMPOST TECHNICAL DATA SHEET

Laboratory: **SOILTEST farm consultants**; 2925 Driggs Dr.; Moses Lake, WA 98837; tel. 509-765-1622 fax. 509-765-0314

Compost Parameters	Reported as (units of measure)	Test Results	Test Results
Plant Nutrients:	%, weight basis	%, wet weight basis	%, dry weight basis
Nitrogen	Total N	0.6	1.00
Phosphorus	P <sub>2</sub> O <sub>5</sub>	0.44	0.73
Potassium	K <sub>2</sub> O	0.47	0.78
Calcium	Ca	0.80	1.32
Magnesium	Mg	0.40	0.65
Moisture Content	%, wet weight basis	39.2	
Organic Matter Content	%, dry weight basis	37.4	
pH	pH units	7.9	
Soluble Salts (electrical conductivity EC <sub>5</sub> )	dS/m (mmhos/cm)	1.42	
Particle Size	% < 9.5 mm (3/8 in.), dw basis	98.7	
Stability Indicator (respirometry)		Stability Rating	
CO <sub>2</sub> Evolution	mg CO <sub>2</sub> -C/g OM/day	0.1	Very Stable
	mg CO <sub>2</sub> -C/g TS/day	0.1	
Maturity Indicator (bioassay)			
Percent Emergence	average % of control	93	
Relative Seedling Vigor	average % of control	100	
Select Pathogens	PASS/FAIL: per US EPA Class A standard, 40 CFR § 503.32(a)	Pass	Salmonella
Trace Metals	PASS/FAIL: per US EPA Class A standard, 40 CFR § 503.13, Tables 1 and 3.	Pass	As,Cd,Cr,Cu,Pb,Hg,
			Mo,Ni,Se,Zn

*Participants in the US Composting Council's Seal of Testing Assurance Program have shown the commitment to test their compost products on a prescribed basis and provide this data, along with compost end use instructions, as a means to better serve the needs of their compost customers.*

Date Received: **7-Sep-22**

Laboratory QA/QC

Brent Thyssen, CPSSc

Date Reported

**25-Sep-22**

brent@soiltestlab.com

www.soiltestlab.com

*Directions for Product Use:*

NOTE: The USCC does not assess whether or not, or to what extent, these directions are sound, sufficient or otherwise appropriate. It is the participant's responsibility alone to ensure that they are.

*Compost Ingredients:*

This compost product has been sampled and tested as required by the Seal of Testing Assurance Program of the United States Composting Council (USCC), using certain methods from the "Test Methods for the Examination of Compost and Composting" manual. Test results are available upon request by calling \_\_\_\_\_ at Phone # \_\_\_\_\_. The USCC makes no warranties regarding this product or its contents, quality, or suitability for any particular use.

***For additional information pertaining to compost use, the specific compost parameters tested for within the Seal of Testing Assurance Program, or the program in general, log on to the US Composting Council's TMECC web-site at <http://www.tmecc.org/sta/>.***